



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

CP

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/008,346	11/09/2001	James G. Montagnino	29002-11260	3380
33042	7590	01/26/2004	EXAMINER	
LEYDIG, VOIT & MAYER, LTD. (SEATTLE OFFICE) TWO PRUDENTIAL PLAZA SUITE 4900 CHICAGO, IL 60601-6780			GIBSON, RANDY W	
			ART UNIT	PAPER NUMBER
			2841	
DATE MAILED: 01/26/2004				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/008,346

Applicant(s)

MONTAGNINO ET AL.

Examiner

Randy W. Gibson

Art Unit

2841

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 January 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-4 and 6-34 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4 and 6-34 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 09 November 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-4 and 6-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Germantown et al (U.S. # 5,886,302) in view of Kroll et al (US # 5,894,112), Swersey et al (U.S. # 4,487,276), Hübler et al. (U.S. # 6,265,675 B1), and applicant's own admission of prior art. Germanton et al. discloses a platform as claimed and described (Fig. 5) made of various conventional thermosetting materials (Col. 7, lines 47-65) with at least two load cells (Col. 3, lines 36-49), and a weight indicator (Col. 4, lines 27-61). Germanton et al discloses the claimed invention except for the integrally formed load cell receptacles on the bottom surface of the weighing platform and the use of the specific fiber-filled polyester thermosetting polymer material.

Figure 5 of Germantown et al show what appear to be integrally formed load cell receptacles on the bottom of the weighing platform. Even if the receptacles of Germantown are not integrally formed, Kroll teach that it is known to do so in a scale platform in order to provide a smooth contact surface for the load cells and to fix their location (Col. 4, lines 3-35); therefore it would have been obvious to the ordinary practioner to integrally form load cell receptacles on the bottom of the load platform of

Germantown et al, if it is determined that these receptacles are not already inherently present in the second embodiment, motivated by a desire to provide a smooth contact surface for the load cells and to fix their location.

It is known in the weighing scale art to make a load bearing platform from a fiber re-enforced thermosetting polymer for strength as shown by the examples of Swersey et al. (Col. 4, lines 30-42) and Hübler et al. (Col. 6, lines 19-21). Furthermore, applicant has admitted that the fiber-filled polyester thermosetting polymer material he used is a conventional off-the-shelf material called "BCM 300 Granite", supplied by Bulk Molding Compounds (pp. 19-20), which has known properties; see *In re Nomiya*, 509 F.2d 566, 184 USPQ 607, 61 1 (CCPA 1975); and, MPEP § 2129. The examiner notes that the selection of a known material based on its suitability for its intended use supported a *prima facie* obviousness determination in *Sinclair & Carroll Co. v. Interchemical Corp.*, 325 U.S. 327, 65 USPQ 297 (1945) ("Reading a list and selecting a known compound to meet known requirements is no more ingenious than selecting the last piece to put in the last opening in a jig-saw puzzle." 325 U.S. at 335, 65 USPQ at 301 .). Therefore it would have been obvious to the ordinary practitioner to use the specific type of material claimed to manufacture the platform of Germantown et al. based on the material's known suitability for its art recognized intended use. See MPEP §§ 2144.06 & 2144.07.

Conclusion

3. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

Art Unit: 2841


§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Randy W. Gibson whose telephone number is (703) 308-1765. The examiner can normally be reached on Mon-Fri., 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David S Martin can be reached on (703) 308-3121. The fax phone number for the organization where this application or proceeding is assigned is (703) 308-7722.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-5115.


Randy W. Gibson
Primary Examiner
Art Unit 2841